



Jamaica Public Service Company Limited.
6 Knutsford Boulevard,
Kingston 5, Jamaica
876-926-3190-9
www.jpsco.com

September 10th 2026

JPS Request for Proposal # 1073693:

**PROCUREMENT OF TURBINE NON-CAPITAL SPARE PARTS FOR GT12
FRAME 6B UNIT**

Dear Vendors

Only Electronic submissions will be accepted, using ShareFile by Citrix. All uploads will be confidential. Additional information on this software can be accessed by clicking the links below:

- 1) Basic Client Guide <https://citrix.sharefile.com/share/view/s1bff52f8d434781a>
- 2) Training (video) <https://www.sharefile.com/support/training>

RFP 1073693 Activities are guided by the dates stated in the RFP Calendar highlighted in Section 4 of this RFP. Observing these dates,

- a) Section 2.1 (Points of Contact) provides Instructions to submit questions via email only
- b) A combined response to questions will be posted on the JPS website only
- c) Respondents must confirm their intention to bid in order to be setup in JPS Share-File folder
- d) Access to individual vendor folders will be given at least 3 days before the bid closes to eliminate any issues for bid upload by RFP deadline.
- e) Files must be accurately labelled/named. Financial Proposal must be a separate file from your Technical Information.
- f) ShareFile Access will be removed when the RFP closes.

Bids will not be accepted via email.

Regards,

JPS Purchasing Dept.



JAMAICA PUBLIC SERVICE CO. LTD.

REQUEST FOR PROPOSALS

For

**THE PROCUREMENT OF TURBINE NON-
CAPITAL SPARE PARTS FOR GT 12 FRAME
6B UNIT**

to JPS Bogue Power Station

RFP # 1073693

September 2026

Contents

JAMAICA PUBLIC SERVICE CO. LTD.	2
1.0 INTRODUCTION	5
1.1 BACKGROUND	5
1.4 Definitions	7
2.1 Points of Contact	8
2.2 Communication Regarding the RFP	8
2.3 Period of Validity of Bids	9
2.4 RFP Amendment and Cancellation	9
2.5 Bid Withdrawal	9
2.6 Confidentiality of Data	10
3.1 Bid Prices	11
3.2 Cost of Proposal Preparation	11
3.3 Bidder's Eligibility and Qualifications	12
3.4 Documents establishing Goods' Eligibility and Conformity to Bidding Documents	12
4.0 SUBMISSION OF BIDS AND SELECTION CRITERIA	13
4.1 Bid Response	13
4.2 Late Bids	14
4.3 Proposal Signing	14
4.4 Proposal Rejection	14
4.5 Right of Rejection	14
5.0 SELECTION PROCESS AND EVALUATION CRITERIA	15
5.1 Determination of Responsive Bids	15
5.2 JPS Bid Evaluation Discretion	16
5.3 Bid Discrepancies	17
5.4 Right to Negotiate	17
5.6 Contract Award	18
6.0 Bidder Qualifications and Requirements:	18
7.1 Prices	19
7.2 Payment Terms	19
7.3 Delivery and Lead Time	19
7.4 Packaging and Shipping	20
7.5 Inspection and Acceptance	20
7.6 Warranty	21
7.7 Title and Risk	21

7.8 Non-Conforming Goods	21
7.9 Changes and Amendments.....	22
7.10 Cancellation and Termination	22
7.11 Force Majeure	23
7.12 Confidentiality.....	23
7.13 Governing Law.....	23
EQUIPMENT INFORMATION.....	27
JPS RESPONSIBILITY AND SCOPE REQUIREMENT	27
SPARE PARTS SCHEDULE	28

1.0 INTRODUCTION

The Jamaica Public Service Company Limited (JPS), invites qualified suppliers to submit proposals for the supply of non-capital spare parts for Frame 6B Gas Turbine Unit 12 (GT12) located at the Bogue Power Station (BPS) in Montego Bay, St. James. The requested spare parts will be required to be delivered to the site during the third quarter of 2027.

1.1 BACKGROUND

Jamaica Public Service Company Limited (JPS) is an integrated electric utility company engaged in the generation, transmission and distribution of electricity throughout the island of Jamaica. JPS owns and operates 28 generating units and also purchases power from seven independent power producers (IPP). JPS assets include conventional thermal plants (335 MW), hydro and wind (29.12 MW), 50 substations, approximately 1200 km of transmission lines and 20,534 km of distribution lines.

The common shares of JPS are held 40% by Marubeni Corporation through its subsidiary Marubeni Caribbean Power Holdings (“MCPH”); 40% by Korea East West Power Company (“KEWP”); 19.9% by the Government of Jamaica (“GOJ”) and the remaining 0.1% by a group of minority shareholders.

The Office of Utilities Regulation (“OUR”) is the independent regulatory agency with responsibility for regulating the electricity sector in Jamaica.

Along with the provision of electricity, the JPS is a key partner in national development. The Company has a vibrant corporate social responsibility portfolio and makes significant contributions in the areas of education, sports, and community development. The Company also has a strong environmental focus and carries out its operations in an environmentally friendly manner.

JPS has the following status with Jamaica Customs – **Authorized Economic Operator**

(AEO). It is an internationally recognized quality mark which indicates that the JPS supply chain is secure, and that the JPS customs' procedures and policies are compliant. With this designation, JPS Warehouse and Procurement Teams are subject to audit and monitoring by Jamaica Customs.

1.2 Geography of Jamaica

Jamaica lies 145 kilometers south of Cuba and 160 kilometers west of Haiti. Its capital city, Kingston, is about 920 kilometers southeast of Miami. At its greatest extent, Jamaica is 235 kilometers long, and it varies between 35 and 82 kilometers wide, with an area of 10,911 squarekilometers.

The highest area is that of the Blue Mountains. The crest of the ridge exceeds 1,800 meters. The highest point is Blue Mountain Peak at 2,256meters.

Two types of climate are found on Jamaica. An upland tropical climate prevails on the windward side of the mountains, whereas a semiarid climate predominates on the leeward side. Warm trade winds from the east and northeast bring rainfall throughout the year. The rainfall is heaviest from May to October, with peaks in those two months. The average rainfall is 196 centimeters per year.

Temperatures are fairly constant throughout the year, averaging 25 °C to 32 °C in the low-lands and 15 °C to 22 °C at higher elevations. Temperatures may dip to below 10 °C at the peaks of the Blue Mountains.

Jamaica lies at the edge of the hurricane track; as a result, the island usually experiences indirect storm damage. Hurricanes occasionally strike the island with full force, including winds speeds up to 240km/hr.

1.3 General Requirements for Goods

- Parts shall conform to specified part numbers/specifications;
- Parts shall be new and unused unless otherwise stated;
- OEM or approved equivalent;

- Bidder shall identify manufacturer/OEM;
- Bidder shall provide certificates/documentation where applicable;
- Warranty requirements;
- Delivery requirements;
- Packaging;
- Country of origin;
- Lead time;
- Applicable technical documentation.

1.4 Definitions

“Bidder” or “Vendor” shall mean the entity submitting a bid.

“Bid/ Proposal” shall mean the Bidder’s formal written response indicating committed price.

All references to JPS or Company shall mean the Jamaica Public Service Company Limited.

“Successful Bidder” means the Bidder awarded the Contract.

“Approved” means approved by the JPS or its delegated representatives.

“Delivery” means completion of parts/component delivery.

“Days” means calendar days according to the Gregorian calendar.

“Goods/Spare Parts” means items identified in Appendix IV.

“The Contract” means the final agreement entered into between the JPS and the Successful Bidder signed by the parties, including any attachments, addenda, and appendices thereto and all documents incorporated by reference therein.

“Purchase Price” means the total price payable by JPS to the Successful Bidder for the Goods supplied under the Purchase Order.

2.0 GENERAL INSTRUCTIONS TO BIDDERS

The Bidder is expected to confirm intent to bid by date stated in the RFP Calendar (Section 4). Failure to comply will result in Bidder being unable to participate in bid. Bidder must examine all instructions, terms specifications in the Bidding Documents. Failure to furnish all information required, will be at the Bidder’s risk and may result in the rejection of its bid.

2.1 Points of Contact

All communications and questions with JPS regarding this RFP must be directed to the following Points of Contact (POC) via email:

Name: **Alexa Brown**
CC: Aldeen Morris
Address: Jamaica Public Service Company Ltd
113 Washington Boulevard
Kingston 20, Jamaica WI

Email: **agbrown@jpsco.com** copy: **apmorris@jpsco.com**

Email Subject: **JPS RFP # 1073693- PROCUREMENT OF TURBINE NON-CAPITAL SPARE PARTS FOR GT12 FRAME 6B UNIT**

2.2 Communication Regarding the RFP

Unauthorized communications concerning this RFP with other Company employees, executives or Contractors may result in immediate disqualification.

All communication and questions should be submitted in writing, electronically to the POC. In order to ensure consistency in the information provided to Bidders, responses to questions received will be communicated to all participants, without revealing the source of the inquiries.

Only written responses will be considered official and binding. JPS reserves the right, at its sole discretion, to determine appropriate and adequate responses to questions and requests for clarification.

A Bidder contact should be provided for all questions and clarifications arising from the Proposal Queries should include:

- i) Company's name, company address and phone number, contact person, email address, position.

ii) References to specific points within this RFP using the Section number as reference

iii) Clear and concise questions

2.3 Period of Validity of Bids

Bids shall remain valid for ***ninety (90) days*** after the bid opening date. A bid valid for a shorter period may be rejected by the Company as non-responsive. In exceptional circumstances, the Company may solicit the Bidder's consent to an extension of the period of validity. The request and responses thereto shall be made in writing.

2.4 RFP Amendment and Cancellation

At any time prior to the deadline for the submission of bids, the Company may for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the Bidding documents by amendment.

The amendment will be done in writing to all prospective Bidders who have received the Bidding Documents.

In order to afford prospective Bidders reasonable time in which to take the amendment into account in preparing their bids, the Company may, at its discretion, extend the deadline for the submission of Bids.

JPS reserves the unilateral right to cancel or reissue the RFP at its sole discretion. Bidders will respond to the final written RFP and any exhibits, attachments and amendments.

2.5 Bid Withdrawal

A Bidder may withdraw a submitted bid at any time up to the deadline for submitting bids. To withdraw a bid, the Bidder must submit a written request electronically, or via fax, signed by an authorized representative, to JPS before the deadline for submitting

bids. After withdrawing a previously submitted bid, the Bidder may submit another bid at any time up to the deadline for submitting bids.

2.6 Confidentiality of Data

The Bidder should recognize that JPS operates in a sensitive business environment and, for that reason the Bidder must treat the materials and data provided by JPS as confidential. The successful Bidder may be required to agree to and execute the Confidentiality agreement.

3.0 PREPARATION OF BIDS

The bid shall be prepared in two (2) parts, technical and financial. The technical part should not contain any pricing information. The financial proposal shall be separate and contain price information. The uploaded proposals must include below:

A. Technical Proposal

Reference is made to Appendix I – General Information:

- Directors names and profiles
- Company references
- Complete set of audited financial statements for the last two (2) years
- Names of top 5 executives, their tenure, experience, qualifications etc.
- Organizational structure for the top five levels in your organization.
- How long has your company been in business?
- How many people does your company employ?
- Does your company currently have a Risk Management or Business Continuity Programme in place?
 - If yes, please provide details of the programme you have in place

-
- Three (3) Customer references (for similar provisions)

***No pricing is to be included along with your Technical Proposal**

B. Financial Proposal

- Proposal must be submitted with the completion of tables stated in **Appendix IV**.
- The financial proposal shall also consist of:
 - Payment Terms
 - Warranty Terms
 - Delivery Terms/Incoterms
 - Country of Origin
 - Manufacturer/OEM
 - Any exclusions/assumptions

3.1 Bid Prices

Prices quoted by the Bidder shall be firm and fixed and shall not be subject to adjustment or variation during the validity period of the Bid or, where applicable, during performance of the Contract, except where otherwise expressly agreed in writing by JPS. Prices shall be quoted in United States Dollars (USD).

3.2 Cost of Proposal Preparation

The Bidder shall bear all costs associated with the preparation and submission of its bid, and the JPS will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

3.3 Bidder's Eligibility and Qualifications

(a) In the case of a Bidder offering to supply goods under the Contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the manufacturer or producer to supply the Goods in Jamaica.

(b) The Bidder is to confirm the financial, technical and production capability necessary to perform on the Contract.

3.4 Documents establishing Goods' Eligibility and Conformity to Bidding Documents

The Bidder shall furnish, as part of its bid, documents establishing conformity to the Bidding Document of all goods, which the Bidder proposes to supply under the Contract.

4.0 SUBMISSION OF BIDS AND SELECTION CRITERIA

4.1 Bid Response

All responses must be in English Language. Your bid response must be presented in two (2) separate packages, namely Financial/Costing and Technical Specifications. The deadline to upload bids is **11:59pm (Jamaica Local Time) September 28, 2026**.

RFP CALENDAR		
ACTIVITY	DUE DATE	RESPONSIBILITY
RFP date	September 10 2026	JPS
Deadline for Bidders to submit questions on RFP	September 16 2026	Bidder
Final date to respond to all queries (to be posted on JPS website)	September 18 2026	JPS
Bidder indicates intention to Bid	September 21 2026	Bidder
JPS provides Bidder with access to Sharefile Folder	September 22 2026	JPS
Completion of RFP and deadline for submission of bids to JPS	11:59pm Monday September 28 2026	Bidder
Closed Bid Opening	September 29 2026	JPS

The Company may, at its discretion, extend this deadline for the submission of bids, in which case all rights and obligations of the Company and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

Observing the deadline of the RFP, responses should be submitted electronically with appropriately file labels/names, and information required in Appendices I, II and IV, as applicable. Adobe Pdf and Power Point file formats are acceptable. Proposal must be signed by official authorized personnel who can bind the supplier to the provision of the RFP.

4.2 Late Bids

Any bid received by the Company after the deadline to upload bids, pursuant to **Section 4.1**, will be rejected.

4.3 Proposal Signing

All proposals must be signed by an official agent or representative of the company submitting the proposal.

4.4 Proposal Rejection

Bids received after the deadline for submission of bids will be rejected. Any bid received that does not meet the requirements of this RFP may be considered to be non-responsive, and the bid may be rejected. Bidders must comply with all of the terms of this RFP. JPS may reject any bid as being non-responsive that does not comply with the terms, conditions, and characteristics of this RFP or the key criteria for selection.

4.5 Right of Rejection

JPS reserves the right, at its sole discretion, to reject any and all bids or to cancel this RFP in its entirety.

JPS reserves the right to reject any and all proposal(s) at its sole and absolute discretion. Submission of a proposal constitutes acknowledgement that the Bidder has read and agrees to be bound by such terms and conditions as outlined in the Bid document.

JPS reserves the right to hold discussions/negotiations with OEM directly in arriving at final product specifications, warranty, pricing and delivery. This will not stop finalizing proposal directly with 3rd parties or OEM distributors.

5.0 SELECTION PROCESS AND EVALUATION CRITERIA

JPS will open bids privately. See calendar for date (Section 4). A selection committee consisting of JPS staff members will evaluate all responses. Based on the preliminary evaluation of the responses, we reserve the right to short list respondents.

5.1 Determination of Responsive Bids

The Company will examine the Bids to ensure conformance with the requirements and instructions set out in this RFP.

Omission of required documentation may result in a Bid being declared non-responsive where such omission constitutes a material deviation from the requirements of the RFP.

The evaluation shall be conducted in two stages:

Technical Evaluation – Pass/Fail

The Technical Proposal shall be evaluated on a **Pass/Fail basis** against the mandatory technical requirements specified in this RFP. A Bidder must satisfy all mandatory technical requirements to be considered technically compliant.

Only Bidders whose submissions are determined to be technically compliant shall proceed to the Commercial Evaluation stage.

Commercial Evaluation

Commercially compliant Bidders shall be evaluated based on a combination of **quoted price and proposed lead time**, with consideration given to the overall commercial value offered to JPS.

The commercial evaluation shall be based on the following criteria:

COMMERCIAL EVALUATION CRITERIA	Score (%)
Price	75
Projected Lead Time	25
Total	100

JPS reserves the right to award the supply of the required spare parts to **one or multiple Bidders**, including on an item-by-item or group basis, based on the outcome of the technical and commercial evaluations and what is determined to be in the best interest of JPS.

JPS is under no obligation to award the complete requirement to a single Bidder.

5.2 JPS Bid Evaluation Discretion

JPS at its discretion may:

- Select a bid other than the lowest priced if JPS determines, at its sole and absolute discretion, that JPS' interests will best be served by doing so;
- Withhold any information used in conducting the evaluation;
- Reject any or all bids and enter into negotiations with other third-party non-bidders, or any Bidder or Bidders that JPS may choose;
- Seek clarification from any Bidder regarding bid information and may do so without notification to any other Bidder;
- Continue the review procedure until a Bidder is selected successfully or until JPS chooses to reject all bids;
- Accept any bid or alternate as submitted without negotiations;
- Require revisions to, corrections of, or other changes to any bid submitted as a condition to its being given any further consideration;
- Select for negotiations only the overall best bids or alternate submitted, as determined by JPS;
- Truncate negotiations with a Bidder if JPS determines that progress towards a contract is not proceeding in a reasonable manner or at a reasonable pace;

-
- Open negotiations with additional Bidders or non-bidders.

5.3 Bid Discrepancies

Arithmetical errors will be rectified on the following basis:

If there is a discrepancy between words and figures, the amount in words shall prevail.

If the supplier does not accept the correction of errors, its bid shall be rejected.

The Company may waive any minor informality or non-conformity or irregularity in a Bid, which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.

5.4 Right to Negotiate

Upon evaluation of the submitted bids, JPS reserves the right to enter into negotiations with one or more Bidders (not necessarily the Bidder with the lowest deliverable price submission) that appear to have submitted a bid that meets the needs and requirements of JPS. Negotiations could include, but are not limited to, price and the terms and conditions of this RFP. However, issues may arise that JPS may not negotiate due to policies or strategies, and an impasse could arise. If, for any reason, a Bidder and JPS cannot arrive at a mutual agreement that would result in the issuance of a contract, JPS reserves the right to terminate negotiations, to reject the bid, and to continue negotiations with other responsive Bidders that may lead to the issuance and award of a contract.

5.5 Written Clarification

JPS reserves the right, at its sole discretion, to request clarifications of bids or to conduct discussions for the purpose of clarification with any or all Bidders. The purpose of any such discussions will be to ensure full understanding of the bid proposal. Discussions will be limited to specific sections of the bid identified by JPS and, if held, will be after

initial evaluation of the bids. If clarifications are made as a result of such discussion, the Bidder will submit such clarifications electronically. Refusal to respond to JPS' request for clarifications may be considered non-responsive and be used as grounds for rejection of the bid.

5.6 Contract Award

The award will be based on the proposal that is most responsive to the requirement of JPS and that which will offer the greatest value for JPS.

Issuance of this Bid does not constitute a commitment by JPS to award any contract or to provide components as per the Offer made in response to this RFP.

JPS reserves the right to invite any or all Bidders to make an in-person presentation.

The Contract shall be interpreted in accordance with the laws of the Purchaser's country.

6.0 Bidder Qualifications and Requirements:

Bidders shall provide the following as part of their proposal:

- a) Proposed payment terms;**
- b) Warranty Terms;**
- c) Delivery terms/Incoterms**
- d) Country of Origin**
- e) Manufacturer/OEM; and**
- f) Any exclusions or assumptions**

7.0 GENERAL CONDITIONS OF PURCHASE

7.1 Prices

Prices quoted by the Bidder shall be **firm and fixed** and shall not be subject to adjustment, escalation or variation during the validity period of the Bid or during performance of the Contract, except where otherwise expressly agreed in writing by JPS.

Prices shall be quoted in **United States Dollars (USD)** and shall clearly identify the unit price and total price for each item offered.

Unless otherwise stated by the Bidder and accepted by JPS, prices shall be deemed to include all costs associated with the supply of the Goods, including applicable packaging, handling, documentation and other costs incidental to the supply and delivery of the Goods to the specified delivery location.

Any applicable taxes, duties, freight, insurance, customs clearance or other charges shall be clearly identified separately in the Bid. The Bidder shall not impose any additional charges not expressly identified in its Bid and accepted by JPS.

7.2 Payment Terms

JPS's standard payment terms are **Net sixty (60) days** from the date of receipt of a valid and undisputed invoice, unless otherwise agreed in writing.

The Bidder shall clearly state its proposed payment terms in its Financial Proposal.

Payment shall be made following satisfactory delivery and acceptance of the Goods and receipt of all required supporting documentation.

JPS reserves the right to withhold payment in respect of any Goods that are incomplete, damaged, defective, non-conforming or otherwise not supplied in accordance with the requirements of the Contract, without prejudice to any other rights or remedies available to JPS.

7.3 Delivery and Lead Time

The Bidder shall state the proposed lead time for each item in its Financial Proposal, calculated from the date of receipt of the Purchase Order or other agreed contractual commencement date.

The Bidder shall be responsible for ensuring that the Goods are delivered within the agreed delivery timelines.

The required delivery period for the Goods is **the third quarter of 2027**, unless otherwise specified or agreed with JPS.

The Bidder shall promptly notify JPS in writing of any actual or anticipated delay in delivery, stating the cause of the delay, its expected duration and the proposed measures to mitigate the impact.

Any extension to an agreed delivery date shall be subject to JPS's prior written approval.

7.4 Packaging and Shipping

The Bidder shall ensure that all Goods are suitably packaged, protected and secured for transportation and storage, having regard to the nature of the Goods and the anticipated method and duration of transportation.

Packaging shall be sufficient to protect the Goods from damage, contamination, moisture, corrosion and other deterioration during handling, transportation and storage.

Each shipment shall be accompanied by appropriate documentation, including, as applicable:

- Packing list;
- Commercial invoice;
- Certificate of origin;
- Manufacturer's certificate or certificate of conformity;
- Warranty documentation; and
- Any other documentation required by JPS or applicable customs and regulatory authorities.

All shipping marks and documentation shall clearly identify the relevant Purchase Order, item number, part number, description and quantity.

Unless otherwise agreed in writing, the Bidder shall be responsible for arranging and coordinating shipment and delivery of the Goods in accordance with the agreed delivery terms.

7.5 Inspection and Acceptance

JPS reserves the right to inspect the Goods upon delivery and, where reasonably practicable, prior to shipment.

Inspection or acceptance of the Goods by JPS shall not relieve the Bidder of any obligation or liability under the Contract, including in respect of latent defects, non-conformities or failure of the Goods to comply with the specified requirements.

JPS may reject any Goods that:

- Do not conform to the specified part number, specifications or other requirements;
- Are damaged or defective;
- Are supplied in quantities different from those ordered;
- Are not new and unused where new and unused Goods are required; or
- Otherwise fail to meet the requirements of the Contract.

The Bidder shall, at its own cost and within a reasonable period specified by JPS, replace or otherwise rectify any rejected Goods.

7.6 Warranty

The Bidder shall provide a warranty for the Goods supplied under the Contract.

Unless a longer warranty period is offered by the Bidder and accepted by JPS, the Goods shall be warranted for a minimum period of **twelve (12) months from the date of delivery**.

The Bidder warrants that the Goods supplied shall:

- Conform to the applicable specifications, part numbers and requirements of the Contract;
- Be new and unused, unless otherwise expressly agreed;
- Be free from defects in design, materials and workmanship; and
- Be fit for their intended purpose under normal operating conditions.

Where any Goods are found to be defective or non-conforming during the warranty period, the Bidder shall, at JPS's option, repair or replace the affected Goods at no additional cost to JPS, including reasonable costs associated with return, replacement and re-delivery.

The Bidder shall provide details of any manufacturer's warranty applicable to the Goods as part of its Bid.

7.7 Title and Risk

Title to the Goods shall pass to JPS upon **full payment and delivery**, unless otherwise specified in the Contract.

Risk of loss of or damage to the Goods shall remain with the Bidder until delivery and acceptance by JPS at the agreed delivery location, unless otherwise expressly agreed in writing.

The Bidder shall be responsible for ensuring that the Goods are adequately insured against loss or damage during transportation up to the point at which risk transfers to JPS.

7.8 Non-Conforming Goods

Where any Goods supplied are found to be non-conforming, defective or otherwise not in accordance with the requirements of the Contract, JPS shall notify the Bidder accordingly.

JPS may, at its discretion:

- a) Require the Bidder to replace the non-conforming Goods at no additional cost to JPS;
- b) Require the Bidder to rectify or repair the Goods, where appropriate;
- c) Reject the Goods and require a full refund of any amount paid in respect thereof; or
- d) Exercise any other rights or remedies available to JPS under the Contract or applicable law.

Replacement or rectification shall be completed within the timeframe agreed with JPS.

7.9 Changes and Amendments

No variation, modification or amendment to the terms of the Contract shall be valid unless made in writing and approved by duly authorized representatives of both JPS and the Bidder.

Any change affecting the specifications, quantities, prices, delivery requirements or other material terms of the Contract shall be subject to JPS's prior written approval.

7.10 Cancellation and Termination

JPS reserves the right to cancel the Purchase Order or terminate the Contract, in whole or in part, by written notice where the Bidder:

- a) Fails to comply with a material obligation under the Contract;
- b) Fails to deliver the Goods within the agreed delivery period and does not provide an acceptable recovery plan;
- c) Supplies Goods that materially fail to meet the requirements of the Contract;
- d) Becomes insolvent, bankrupt or otherwise unable to fulfill its contractual obligations; or
- e) Engages in fraud, misrepresentation or other conduct that materially affects its ability to perform the Contract.

JPS may also terminate the Contract for convenience by providing written notice to the Bidder, subject to the terms of the Contract and any applicable obligations incurred by the parties prior to the effective date of termination.

Termination shall be without prejudice to any rights or remedies that JPS may have accrued prior to the effective date of termination.

7.11 Force Majeure

Neither party shall be liable for failure or delay in performing its obligations under the Contract to the extent that such failure or delay results directly from an event of Force Majeure.

For the purposes of this Contract, **Force Majeure** means an event beyond the reasonable control of the affected party, which could not reasonably have been foreseen or avoided and which prevents or materially delays performance of the affected obligation. Such events may include, but are not limited to, natural disasters, hurricanes, fires, floods, epidemics, wars, civil disturbances, government restrictions, embargoes and other events of a similar nature.

The affected party shall promptly notify the other party in writing of the occurrence of the Force Majeure event, its expected duration and the obligations affected.

The affected party shall take all reasonable steps to mitigate the effects of the Force Majeure event and resume performance as soon as reasonably practicable.

7.12 Confidentiality

The Bidder shall treat as confidential all technical, commercial and other information provided by JPS in connection with the RFP and Contract.

Such information shall be used solely for the purpose of preparing the Bid and fulfilling the Bidder's obligations under the Contract and shall not be disclosed to any third party except where required for the proper performance of the Contract or by law.

JPS may require the successful Bidder to execute a separate Confidentiality Agreement where deemed necessary.

7.13 Governing Law

The Contract and any dispute arising out of or in connection with the Contract shall be governed by and construed in accordance with the **laws of Jamaica**.

The parties shall make reasonable efforts to resolve any dispute arising under the Contract through good-faith discussions between their authorized representatives before pursuing any other remedy available under applicable law.

Appendix I

REQUEST FOR PROPOSAL (RFP)
PROCUREMENT OF FRAME 6B NON-CAPITAL SPARE PARTS FOR GT12 FRAME 6B
UNIT
RFP # 1073693

BIDDER INFORMATION

Name of Organization: _____

Address: _____

Key Contact: _____

Title: _____

Telephone Numbers: _____

Email Address: _____

Company Profile

Please submit the requested information below:

- Directors names and profiles
- Company references
- Complete set of audited financial statements for the last two (2) years
- Names of top 5 executives, their tenure, experience, qualifications etc.
- Companies must state 5 reasons for JPS to consider Partnering/Selecting them (your company) for this RFP
- Organizational structure for the top five levels in your organization.
- How long has your company been in business?
- How many people do you employ?
- Does your company currently have a Risk Management or Business Continuity Programme in place?
 - If yes, please provide details of the programme you have in place
- Three (3) Customer references (for similar provisions)

Appendix II

Financial Response Template

Name of Bidder: _____

Signature of Bidder: _____

Payment Terms

JPS's preference: Net 60 days Bidder's proposal: Net _____ days

Price Schedule in United States Dollars

Along with detailing all charges in their proposal, each prospective supplier is required to complete the table in Appendix IV to detail the total cost of each requested component.

Appendix III

EQUIPMENT INFORMATION

GT 12- GE Frame 6B Gas Turbine

Unit name plate data and configuration	
Manufacturers	General Electric
Maximum Capacity Rating (MCR): Base	40,850 kW
Serial number	810400
Frame Size	PG6581B
Fuel Types	Natural Gas and No. 2 Distillate (Automotive Diesel Oil)
Control System	Mark VIe
Year (Installed)	2002
Compressor	17 Stages
Turbine	3 Stages

JPS RESPONSIBILITY AND SCOPE REQUIREMENT

- 1 Prospective bidders should provide a detailed proposal outlining their technical composition, financial requirements, and terms and conditions required for the provision of all listed parts.
- 2 Prospective bidders should outline their inquiries, requirements or responsibilities of the customer in order to fulfill the requirements of the RFP.

Appendix IV

SPARE PARTS SCHEDULE

Prospective bidders should provide the following parts as outlined in the table below:

Item No.	Part Description	Part Number	Qty.	Unit Cost	Total Cost	Lead Time
1	W-SEAL, EXT-PRESSZD, FWD PRE-COMPRSD	126T0807P0001	1			
2	W-SEAL, EXT-PRESSZD, FWD PRE-COMPRSD	126T0808P0001	1			
3	BORESCOPE PLUG	213B1358P001	8			
4	PLUG	213B1343P001	4			
5	PIN	227C9033P074	28			
6	PIN	227C9033P075	4			
7	PIN	227C9033P076	4			
8	PIN	213B1338P007	28			
9	PLUG BORES	213B1356P001	3			
10	PLUG	213B1359P001	1			
11	PLUG	213B1359P002	1			
12	PIN	213B1338P006	2			
13	PIN	213B1338P005	2			
14	BORESCOPE HOLE PLUG	126T9663P0001	4			
15	PIN	213B1338P008	30			
16	BKTSEALPIN	302A1113P001	96			
17	PIN, SHANK SEAL	243C1259P030	184			
18	LOCKWIRE, 6B STG 1 & 2	101T1325P001	2			
19	PIN DOWEL - 6B	279A1733P003	20			
20	DOVETAIL C-SEAL, TURBINE BLADE	124T9039P0001	190			
21	BKT SEAL PIN	279A1741P002	96			
22	PIN, SHANK SEAL	243C1259P031	96			
23	BKTSEALPIN	279A1706P001	96			
24	PIN, SHANK SEAL	243C1259P032	96			
25	BKT TWIST	239B5791P006	96			
26	CLAMP, HOLD DOWN	100T4437P0001	1			
27	SUPPORT, NOZZLE-STG 1	100T4438P0001	2			
28	PIN ECCENTRIC	100T4439P0001	2			
29	LOCKING BAR	100T4440P0001	1			
30	LOCKING BAR	100T4441P0001	1			
31	BOLT HX HD	293A0901P010	4			
32	BOLT HX HD	293A0903P020	4			

33	LOCK PLATE	294A0150P004	4			
34	LOCKING PLATE. NUT & BOLT	294A0150P006	4			
35	CLAMP, HOLD DOWN	100T4437P0002	1			
36	NOZZ PIN	213B1487P001	36			
37	ADAPTER, TUBING	255A4330P001	8			
38	PLUG	279A1768P001	16			
39	TUBING	287A7874G001	4			
40	COND REDUC	302A4537P001	8			
41	PLATE	279A1772P001	16			
42	BOLT HX HD	293A0900P008	32			
43	LOCK PLATE	294A0150P003	32			
44	TUBING, THERMOCOUPLE	279A1763G002	4			
45	GASKET	324A9109P004	10			
46	GASKET (NON-ASBESTOS)	324A9109P107	6			
47	GASKET	318A9713P003	20			
48	RING PACKS	287A1614P004	40			
49	BOLT 12 PT	N733P29024	80			
50	SCREW, 12 PT	N733P29020	40			
51	SCREW, CAP HEX HD	N14P33032	40			
52	SCREW, CAP HEX HD	N14P35028	12			
53	SPRING DOWEL PIN	N538P3812	10			
54	SPRING, XFIRE TUBE RET	178C6048P001	20			
55	SCREW, MCH PAN HD	N57P23012	60			
56	ALY STL 12PT SCREW	N733AP35048	50			
57	GASKET	318A9713P012	20			
58	X-FIRE TUBE	239C7224P002	10			
59	XFIRE TUBE MS6001, FE-MALE	178C6050P004	10			
60	OUTER SLEEVE XFIRE TUBE	279A1887P001	10			
61	SEAL, RETAINING RING	91314953P001	1			
62	SEAL	91314953P002	1			
63	BOLT HEXA.HEAD	293A911P016	28			
64	GASKET, INCONEL MESH	351A9259P011	2			
65	HEX CAP SCREW & FINISHED BOLT	N24P25012	32			
66	LOCK PLATE	279A1652P001	4			
67	STUD	91432202P002	22			
68	NUT	91444728P007	44			
69	WASHER	91313222P001	44			

70	LOCK NUT	91444732P001	22			
71	GASKET, INCONEL MESH	351A9259P007	2			
72	GASKET, INCONEL MESH	351A9259P008	2			
73	LOCKING PLATE	261A7644P005	16			
74	SCREW, CAP HEX HD	N22P25016	4			
75	STL PLAIN WASHER	N402P43	4			
76	PIN, DOWEL HARD&GRD	N507P3816	2			
77	STL LOCKNUT	N265BP25	4			
78	WASHER, SS WIDE SERIES	N400P73	24			
79	SCREW, 12PT ALY STL	N733BP35032	36			
80	BOLT HEXA.HEAD	293A910P004	24			
81	STOP SEAL-EPE	356B3460G001	10			
82	TP BOLT, BB	219B6733P001	20			
83	TP BOLT	216B6753P001	20			
84	TP BOLT	216B6753P002	10			
85	TP POS PIN - COMB	219B6731P002	10			
86	TP LKPLATE	216B6755P001	10			
87	TP LKPLATE	258B8740P002	10			
88	TP LKPLATE	224B9719P011	10			
89	TP LKPLATE	224B9719P010	10			
90	ASSY SIDE CLOTH SEAL-EPE	239C7211G002	10			
91	FITTED BULLHORN-EPE	239C7206G002	10			
92	SCREW, CAP FLAT HD	N46P21010	40			
93	SHIM, STATOR BLADE	307A9879P006	5			
94	SHIM, STATOR BLADE	307A9879P007	5			
95	SHIM, STATOR BLADE	307A9879P008	4			
96	SHIM, STATOR BLADE	307A9879P005	5			
97	SHIM, STATOR BLADE	307A9879P001	4			
98	SHIM, STATOR BLADE	307A9879P003	4			
99	SHIM, STATOR BLADE	307A9879P004	4			
100	SHIM, STATOR BLADE	307A9879P002	4			
101	BOLT	N173P2310	68			
102	SPRING WASHER	158A7887P001	68			
103	BUSHING	158A7888P002	130			
104	TUBING	215A4468P009	66			
105	BUSHING	339A9913P001	66			
106	PIN	N512P2512B	66			
107	SOCK. HEAD SCREW	N170AP21008	65			
108	1/4" SST PLAIN WASHER	N400P71	65			

109	THRUST WASHER	352A6633P003	66			
110	SHIM, THICKNESS (0,25)	298A8537P001	45			
111	SHIM, THICKNESS (0,20)	298A8537P002	45			
112	SHIM, THICKNESS (0,15)	298A8537P003	45			
113	SHIM, THICKNESS (0,10)	298A8537P004	45			
114	GEAR, IGV 5001,5002,6-B,	184A9773P008	64			
115	GEAR RACK	331B1434P003	4			
116	DEFLECTOR, FWD-BEARING 2	164C2819P001	1			
117	SEAL STATIONARY BEARING 2	177D9782G01 or 177D9782P001	2			
118	PIN ANTI	279A1622P001	1			
119	PIN ANTI	239A5648P001	2			
120	DEFLECTOR, SEAL AIR, JOURNAL LINEAR BEARING #1, FWD-BRG 1	114A3576G001	1			
121	BEARING DEFLECTOR, SEAL STATIONARY, JOURNAL LINEAR BEARING #1	154D7145G001	1			
122	BEARING SEAL 1, JOURNAL LINEAR BEARING #1	164C2807G003	1			
123	RING SEAL, JOURNAL LINEAR BEARING #1	188C9738G001	1			
124	PIN	215A2565P002	1			
125	PIN DOWEL	114A1904P047	1			
126	GASKET, SPIRAL WOUND	N5606P02506G11	8			
127	GASKET	N5606P02501G11	8			
128	GASKET, SPIRAL WOUND	N5606P04003G11	6			
129	LOCK NUT	N265DP33	160			
130	GASKET	372A1159P009	40			
131	GASKET	302A4597P010	8			
132	GASKET	302A4597P012	4			
133	GASKET	302A4597P006	4			
134	GASKET	302A4597P008	10			
135	GASKET	372A1159P008	22			
136	GASKET	N5606P03006G11	4			
137	GASKET	91446641P003	4			
138	GASKET	91446641P004	3			
139	GASKET	302A4594P014	3			

140	GASKET	302A4594P033	3			
141	GASKET	91445699P005	4			
142	GASKET	91445699P010	4			
143	O RING, VITON A 90 DU- ROMTR	357A1544P003	10			
144	LAMINE PLAT: 12X6X25	91434730P007	2			
145	GASKET	N5606P03501G11	1			
146	PIPE COUPLING-SLIP JOINT	256A1535P140	1			
147	GASKET	N5606P04001G11	1			
148	AIR INLET DUCT EX- PANSION	91451182P001	1			
149	COMPOUND, ANTI- SEIZE	287A1397P001	10			
150	GASKET	302A4597P005	4			
151	GASKET	N14P29040	16			
152	GASKET, SPIRAL WOUND	N14P33048	8			
153	GASKET SPIRAL, WOUND	N14P35040	4			
154	GASKET	328A6991P006	10			
155	GASKET	302A4597P108	1			
156	GASKET, SPIRAL WOUND	N5606P02001G11	1			
157	GASKET	324A9243P002	4			
158	GASKET, SPIRAL WOUND	N5606P04003G22	9			
159	GASKET	372A1159P113	34			
160	GASKET	279A1148P001	2			
161	GASKET SET	279A2645P001	2			
162	GASKET, SERRATED METAL	372A1159P005	12			
163	GASKET, SPIRAL WOUND	N5606P03001G11	12			
164	GASKET, SPIRAL WOUND	N5606P06001G11	12			
165	GASKET	318A9751P050	4			
166	RATCHETING PUMP CHECK VALVE	114A3759P006	2			
167	RACHETING PUMP CHECK VALVE	91405779P001	1			
168	SHIM, STATOR BLADE	307A9879P013	10			
169	SHIM, STATOR BLADE	307A9879P014	15			
170	SHIM, STATOR BLADE	307A9879P015	20			
171	SHIM, STATOR BLADE	307A9879P016	10			

172	LOCK NUT	N265DP35B7	32			
173	TP SUPPORT MS6001, SHIM/LOCKPLATE	287A1613P005	10			
174	12 PT LOCK NUT	N272P39	12			
175	TP LOCKING PLATE	224B9719P002	10			
176	DRIVE PIN	372A4654P001	50			
177	TUBING, THERMOCOUPLE	279A1763G001	4			
178	PLUG	213B1344P002	8			
179	PLUG BORES	213B1339P002	4			
180	SPRING	279A1674P001	8			
181	BB STUD 1-8 X 9.76-	156A1591P020	6			
182	BB STUD 1.25-8 X 10.82-	156A1591P014	6			
183	BB STUD NUTS	N271TP39	12			
184	SEAL RING	227B6004P001	10			
185	SEAL RING	227B6004P002	8			
186	BRUSH SEAL	119E4156P001	1			
187	WIRE LOCKING INSERT	N926BP00335	20			
188	WIRE LOCKING INSERT	N926BP00435	10			
189	ASSY SIDE CLOTH SEAL	239C7211G001	10			
190	TP LOCK PLATE	258B8740P001	10			
191	BOLTS 12 PT	N733AP50160	10			
192	STUD BB	158A4647P013	10			
193	LUBE OIL COUPLING	256A1535P016	2			
194	BOLT 1"1/4-8UN	N733AP44144	22			
195	BOLT 12 PT,1"1/4-8UN	N733P44064	6			
196	BOLT 12 PT, 1"1/2 - 8UN	N733AP50192	2			
197	PIPE PLUG	286A6290P002	4			
198	PIN,STRAIGHT,HEAD-LESS	158A5457P002	32			
199	SHIM	184A9809P001	1			
200	FITTING HYDRAULIC GREASE	91407024P001	5			
201	PLAIN WASHER-3/8 IN	N402AP73	3			
202	SPRING LOCK WASHER 3/8 IN HEAVY	N405P00073	2			
203	PIN SPRING DOWEL 1/8 IN LG 3/8 IN	N509P1306	2			
204	PIN DOWEL	N509P1314	2			
205	PIN SPRING DOWEL 3/16 IN LG 1/2 IN	N509P1908	2			
206	PIN DOWEL	158A5457P005	8			
207	SCREW, SOCKET HEAD CAP	N170P25028	20			

208	DRIVE SCREW, TYPE U	N536P706	20			
209	INSERT, LOCKWIRE, HELICAL	N926BP00329	6			
210	ORIFICE PLATE, BRASS	999A0512P339	4			